



90 BAR | 1350 PSI

PRESSURE WASHER MODEL: PW90 PH12



PW90 PH12

FEATURES & BENEFITS

- EXCELLENT SUCTION
- CHEMICAL INDUCTION
- INTERPUMP UNIT
- COMPACT FRAME
- GEARBOX FOR LONGER LIFE

ALL TASKMAN PRESSURE WASHERS COME COMPLETE WITH HIGH PRESSURE HOSE, LANCE AND SUCTION PIPES

SPECIFICATIONS

MODEL	PRESSURE PSI BAR	ENGINE	FLOW (Litres/Min)	WEIGHT (Kg)	DIMENSIONS H x W x L (mm)	GEARBOX	ELECTRIC START
PW90 PH12	1350 90	HONDA GX120 PETROL	12	30	440 x 340 x 520	YES	NO

All dimensions and weights are approximate.
Due to our policy of continual development, we reserve the right to change specifications without further notice

WIDE RANGE OF ACCESSORIES AVAILABLE ON REQUEST



1350 PSI | 90 BAR
PW90 PH12

1500 PSI | 100 BAR
PW100 PH11

2000 PSI | 140 BAR
PW140 PH12

2000 PSI | 140 BAR
PW140 PH12T

2250 PSI | 150 BAR
PW150 PH12GC

3000 PSI | 200 BAR
PW200 PH13

3000 PSI | 200 BAR
PW200 PH15

3000 PSI | 200 BAR
PW200 DY15E

3000 PSI | 200 BAR
PW200 DY15E

3000 PSI | 200 BAR
PW200 DY15ES

Dealership's Stamp



100 BAR | 1500 PSI

PRESSURE WASHER MODEL: PW100 PH11



PW100 PH11

FEATURES & BENEFITS

- VERY PORTABLE
- INTERPUMP UNIT
- STRONG, COMPACT, CRASH FRAME
- CHEMICAL INDUCTION

ALL TASKMAN PRESSURE WASHERS COME COMPLETE WITH HIGH PRESSURE HOSE, LANCE AND SUCTION PIPES

SPECIFICATIONS

MODEL	PRESSURE PSI BAR	ENGINE	FLOW (Litres/Min)	WEIGHT (Kg)	DIMENSIONS H x W x L (mm)	GEARBOX	ELECTRIC START
PW100 PH11	1500 100	HONDA GX120 PETROL	11	30	470 x 410 x 540	NO	NO

All dimensions and weights are approximate.
Due to our policy of continual development, we reserve the right to change specifications without further notice

WIDE RANGE OF ACCESSORIES AVAILABLE ON REQUEST



1350 PSI | 90 BAR
PW90 PH12

1500 PSI | 100 BAR
PW100 PH11

2000 PSI | 140 BAR
PW140 PH12

2000 PSI | 140 BAR
PW140 PH12T

2250 PSI | 150 BAR
PW150 PH12GC

3000 PSI | 200 BAR
PW200 PH13

3000 PSI | 200 BAR
PW200 PH15

3000 PSI | 200 BAR
PW200 DY15E

3000 PSI | 200 BAR
PW200 DY15ES

Dealership's Stamp



200 BAR | 3000 PSI

PRESSURE WASHER MODEL: PW200 PH13



PW200 PH13

FEATURES & BENEFITS

- VERY PORTABLE
- CHEMICAL INDUCTION
- LANCE / HOSE HOLDER
- INTERPUMP UNIT
- PNEUMATIC WHEELS

ALL TASKMAN PRESSURE WASHERS COME COMPLETE WITH HIGH PRESSURE HOSE, LANCE AND SUCTION PIPES

SPECIFICATIONS

MODEL	PRESSURE PSI BAR	ENGINE	FLOW (Litres/Min)	WEIGHT (Kg)	DIMENSIONS H x W x L (mm)	GEARBOX	ELECTRIC START
PW200 PH13	3000 200	HONDA GX270 PETROL	13	57	800 x 550 x 660	NO	NO

All dimensions and weights are approximate.
Due to our policy of continual development, we reserve the right to change specifications without further notice

WIDE RANGE OF ACCESSORIES AVAILABLE ON REQUEST



1350 PSI | 90 BAR
PW90 PH12

1500 PSI | 100 BAR
PW100 PH11

2000 PSI | 140 BAR
PW140 PH12

2000 PSI | 140 BAR
PW140 PH12T

2250 PSI | 150 BAR
PW150 PH12GC

3000 PSI | 200 BAR
PW200 PH13

3000 PSI | 200 BAR
PW200 PH15

3000 PSI | 200 BAR
PW200 DY15E

3000 PSI | 200 BAR
PW200 DY15ES

Dealership's Stamp



150 BAR | 2250 PSI
PRESSURE WASHER MODEL: PW150 PH12GC



PW150 PH12GC

FEATURES & BENEFITS

- VERY PORTABLE
- INTERPUMP UNIT
- SOLID RUBBER WHEELS
- CHEMICAL INDUCTION
- STRONG UPRIGHT FRAME

ALL TASKMAN PRESSURE WASHERS COME COMPLETE WITH HIGH PRESSURE HOSE, LANCE AND SUCTION PIPES

SPECIFICATIONS

MODEL	PRESSURE PSI BAR	ENGINE	FLOW (Litres/Min)	WEIGHT (Kg)	DIMENSIONS H x W x L (mm)	GEARBOX	ELECTRIC START
PW150 PH12GC	2250 150	HONDA GC190 PETROL	12	34	820 x 530 x 790	NO	NO

All dimensions and weights are approximate.
Due to our policy of continual development, we reserve the right to change specifications without further notice

WIDE RANGE OF ACCESSORIES AVAILABLE ON REQUEST



1350 PSI | 90 BAR
PW90 PH12

1500 PSI | 100 BAR
PW100 PH11

2000 PSI | 140 BAR
PW140 PH12

2000 PSI | 140 BAR
PW140 PH12T

2250 PSI | 150 BAR
PW150 PH12GC

3000 PSI | 200 BAR
PW200 PH13

3000 PSI | 200 BAR
PW200 PH15

3000 PSI | 200 BAR
PW200 DY15E

3000 PSI | 200 BAR
PW200 DY15ES

Dealership's Stamp



140 BAR | 2000 PSI
PRESSURE WASHER MODEL: PW140 PH12T



PW140 PH12T

FEATURES & BENEFITS

- VERY PORTABLE
- INTERPUMP UNIT
- SOLID WHEEL TROLLEY
- CHEMICAL INDUCTION
- CRASH PROTECTION FRAME
- GEARBOX FOR LONGER LIFE

ALL TASKMAN PRESSURE WASHERS COME COMPLETE WITH HIGH PRESSURE HOSE, LANCE AND SUCTION PIPES

SPECIFICATIONS

MODEL	PRESSURE PSI BAR	ENGINE	FLOW (Litres/Min)	WEIGHT (Kg)	DIMENSIONS H x W x L (mm)	GEARBOX	ELECTRIC START
PW140 PH12T	2000 140	HONDA GX160 PETROL	12	48	640 x 600 x 1000	YES	NO

All dimensions and weights are approximate.
Due to our policy of continual development, we reserve the right to change specifications without further notice

WIDE RANGE OF ACCESSORIES AVAILABLE ON REQUEST



1350 PSI | 90 BAR
PW90 PH12

1500 PSI | 100 BAR
PW100 PH11

2000 PSI | 140 BAR
PW140 PH12

2000 PSI | 140 BAR
PW140 PH12T

2250 PSI | 150 BAR
PW150 PH12GC

3000 PSI | 200 BAR
PW200 PH13

3000 PSI | 200 BAR
PW200 PH15

3000 PSI | 200 BAR
PW200 DY15E

3000 PSI | 200 BAR
PW200 DY15ES

Dealership's Stamp



200 BAR | 3000 PSI
PRESSURE WASHER MODEL: PW200 PH15



PW200 PH15

FEATURES & BENEFITS

- POWERFUL SUCTION
- SOLID WHEEL TROLLEY
- INTERPUMP UNIT
- CHEMICAL INDUCTION
- CRASH FRAME
- GEARBOX FOR LONGER LIFE

ALL TASKMAN PRESSURE WASHERS COME COMPLETE WITH HIGH PRESSURE HOSE, LANCE AND SUCTION PIPES

SPECIFICATIONS

MODEL	PRESSURE PSI BAR	ENGINE	FLOW (Litres/Min)	WEIGHT (Kg)	DIMENSIONS H x W x L (mm)	GEARBOX	ELECTRIC START
PW200 PH15	3000 200	HONDA GX340 PETROL	15	85	720 x 600 x 990	YES	NO

All dimensions and weights are approximate.
Due to our policy of continual development, we reserve the right to change specifications without further notice

WIDE RANGE OF ACCESSORIES AVAILABLE ON REQUEST



1350 PSI | 90 BAR
PW90 PH12

1500 PSI | 100 BAR
PW100 PH11

2000 PSI | 140 BAR
PW140 PH12

2000 PSI | 140 BAR
PW140 PH12T

2250 PSI | 150 BAR
PW150 PH12GC

3000 PSI | 200 BAR
PW200 PH13

3000 PSI | 200 BAR
PW200 PH15

3000 PSI | 200 BAR
PW200 DY15E

3000 PSI | 200 BAR
PW200 DY15ES

Dealership's Stamp



200 BAR | 3000 PSI
PRESSURE WASHER MODEL: PW200 DY15E



PW200 DY15E

FEATURES & BENEFITS

- SOLID WHEEL TROLLEY
- CHEMICAL INDUCTION
- CRASH FRAME
- VERY SOLID BASE MOUNTING
- COMPACT DESIGN
- HEAVY DUTY INTERPUMP UNIT
- RECOIL BACK UP
- GEARBOX FOR LONGER LIFE

ALL TASKMAN PRESSURE WASHERS COME COMPLETE WITH HIGH PRESSURE HOSE, LANCE AND SUCTION PIPES

SPECIFICATIONS

MODEL	PRESSURE PSI BAR	ENGINE	FLOW (Litres/Min)	WEIGHT (Kg)	DIMENSIONS H x W x L (mm)	GEARBOX	ELECTRIC START
PW200 DY15E	3000 200	YANMAR L100 DIESEL	15	128	780 x 660 x 1015	YES	YES

All dimensions and weights are approximate.
Due to our policy of continual development, we reserve the right to change specifications without further notice

WIDE RANGE OF ACCESSORIES AVAILABLE ON REQUEST



1350 PSI | 90 BAR
PW90 PH12

1500 PSI | 100 BAR
PW100 PH11

2000 PSI | 140 BAR
PW140 PH12

2000 PSI | 140 BAR
PW140 PH12T

2250 PSI | 150 BAR
PW150 PH12GC

3000 PSI | 200 BAR
PW200 PH13

3000 PSI | 200 BAR
PW200 PH15

3000 PSI | 200 BAR
PW200 DY15E

3000 PSI | 200 BAR
PW200 DY15ES

Dealership's Stamp



200 BAR | 3000 PSI
PRESSURE WASHER MODEL: PW200 DY15ES



PW200 DY15ES

FEATURES & BENEFITS

- VERY HEAVY DUTY FRAME
- HOSE REEL 20M CAPACITY
- PNEUMATIC WHEELS
- FRONT CASTOR FOR EASY MANOEUVRE
- CHEMICAL INDUCTION
- RECOIL BACK UP
- INTERPUMP UNIT
- GEARBOX FOR LONGER LIFE

ALL TASKMAN PRESSURE WASHERS COME COMPLETE WITH HIGH PRESSURE HOSE, LANCE AND SUCTION PIPES

SPECIFICATIONS

MODEL	PRESSURE PSI BAR	ENGINE	FLOW (Litres/Min)	WEIGHT (Kg)	DIMENSIONS H x W x L (mm)	GEARBOX	ELECTRIC START
PW200 DY15ES	3000 200	YANMAR L100 DIESEL	15	148	850 x 600 x 100	YES	YES

All dimensions and weights are approximate.
Due to our policy of continual development, we reserve the right to change specifications without further notice

WIDE RANGE OF ACCESSORIES AVAILABLE ON REQUEST



1350 PSI | 90 BAR
PW90 PH12

1500 PSI | 100 BAR
PW100 PH11

2000 PSI | 140 BAR
PW140 PH12

2000 PSI | 140 BAR
PW140 PH12T

2250 PSI | 150 BAR
PW150 PH12GC

3000 PSI | 200 BAR
PW200 PH13

3000 PSI | 200 BAR
PW200 PH15

3000 PSI | 200 BAR
PW200 DY15E

3000 PSI | 200 BAR
PW200 DY15ES

Dealership's Stamp



140 BAR | 2000 PSI
PRESSURE WASHER MODEL: PW140 PH12



PW140 PH12

FEATURES & BENEFITS

- VERY COMPACT
- EXCELLENT SUCTION
- INTERPUMP UNIT
- HEAVY DUTY CRASH FRAME
- WHEEL KIT AVAILABLE
- GEARBOX FOR LONGER LIFE
- ALSO AVAILABLE ON AN UPRIGHT FRAME WITH PNEUMATIC WHEELS

ALL TASKMAN PRESSURE WASHERS COME COMPLETE WITH HIGH PRESSURE HOSE, LANCE AND SUCTION PIPES

SPECIFICATIONS

MODEL	PRESSURE PSI BAR	ENGINE	FLOW (Litres/Min)	WEIGHT (Kg)	DIMENSIONS H x W x L (mm)	GEARBOX	ELECTRIC START
PW140 PH12	2000 140	HONDA GX160 PETROL	12	42	510 x 450 x 600	YES	NO

All dimensions and weights are approximate.
Due to our policy of continual development, we reserve the right to change specifications without further notice

WIDE RANGE OF ACCESSORIES AVAILABLE ON REQUEST



1350 PSI | 90 BAR
PW90 PH12

1500 PSI | 100 BAR
PW100 PH11

2000 PSI | 140 BAR
PW140 PH12

2000 PSI | 140 BAR
PW140 PH12T

2250 PSI | 150 BAR
PW150 PH12GC

3000 PSI | 200 BAR
PW200 PH13

3000 PSI | 200 BAR
PW200 PH15

3000 PSI | 200 BAR
PW200 DY15E

3000 PSI | 200 BAR
PW200 DY15ES

Dealership's Stamp